

ELIMINATION OF THE PAPILLOMA VIRUS

FOREWORD. *This process has been successfully tested for several years and its effectiveness has also been verified by the global community.* Before reading about any of the treatments, you should learn about TENS (Transcutaneous Electrical Nerve Stimulator), which is equivalent to medicine, and see its characteristics by reading the corresponding file contained in this same package. You can purchase it online, just make sure that the "Stimulation Modes" include the option: "Normal or Constant." If this treatment does not cure you, you should see your treating physician.

INTRODUCTION.

The papilloma virus causes cervical cancer, and there are more than 200 types of this virus, of which about 12 are harmful and cause this serious disease. Currently, more than 550,000 new cases are detected worldwide, and 300,000 new people are infected annually. Fortunately, viruses are very sensitive to the passage of electrical energy through them, which destroys them. Unfortunately, like all viruses, this one protects itself from the immune system by hiding inside a cell of the nervous system, which cannot be penetrated by the current at the levels used.

For this reason, it is necessary to remove it from its protective cell by means of a phase 30-minute heat treatment, which is 60% effective, followed by electrical treatment, which is 100% effective , eliminating all free or exposed viruses. It is due to this low effectiveness of the steam treatment that the elimination of all viruses in a single treatment cannot be guaranteed and it is necessary to apply it several times.



It has been possible to increase the efficiency of the entire process by applying it in the last days of menstruation, achieving elimination of the virus in a single treatment in two people, during which time the cervical canal is more moist, leading to better electrical current .

FEMALE TREATMENT.


Phase I steam.

1. The person undergoing treatment is required to have the following materials:
 - a. A large towel, a small towel, sandals, and a bathrobe, if possible.
 - b. Apply steam treatment for 30 minutes to force the viruses out of the epithelial cells of the genital tract; this can be done by purchasing a steam chamber online or using a sauna, Turkish bath, etc. During this process, the person should be asked to use the small towel to dry their body at least three times: for example, at 10 and 20 minutes, and before leaving the steam chamber. They should be given a gown to wear before leaving the chamber in order to preserve their body heat. Place the person face up on an examination table well covered with a blanket.


Phase II. Electrical treatment

1. Ask the person to open their legs and place a 4 x 8 cm pad previously prepared with gel or moistened with water containing a little common vinegar, applying it with a spray bottle, at the entrance to the vaginal canal in a centered position.
2. Place the other pad of the same size above the mons pubis, on the abdomen, 2 or 3 centimeters above the hairy area, horizontally.
3. Start the current flow at an intensity of 0.9 to 1.0 mA, which is achieved by increasing the current until it is perceived, without feeling pain; if you feel pain, slightly lower the intensity to avoid it. Maintain the treatment for 20 minutes and turn off the TENS (Figure 1(a)).
4. Place the vaginal pad over one labia and the other on the inner thigh on the same side or in the groin, as close as possible to the

first, and start the electrical treatment at the same intensity for 5 minutes, in order to eliminate the virus from the lips, and then stop the treatment (figure 1(b)).



(a)



(b)

Figure 1. Position of pads in the center of the vagina (a) and upper part of the mons pubis (a); (b) Treatment of lateral labia.

Place the vaginal pad on the other labia and the second on the inner thigh ()or groin, and repeat the treatment for 5 minutes.

1. Remove the pads, stick them onto a couple of tissues, wrap them up, and dispose of them in the waste bag. Clean the treated areas and safely dispose of the material used during treatment.

MALE TREATMENT

- 1. Apply the vapor phase used in step 1 for female treatment.**

Begin the treatment using 4 x 8 cm pads. Place one pad on the tip of the penis, bending it to cover the glans, and the other on the abdomen, above the hairy area, horizontally. Start the current at an intensity of 0.9 to 1.0 mA, which is achieved by increasing the current until it is felt, without causing pain; if pain is felt, slightly lower the intensity to avoid it. Continue the treatment for 20 minutes and turn off the TENS (Figure 2(a)).

2. Continue treatment for 15 minutes and turn off the TEN.
3. Place one pad along the penis and the other on the opposite side, taking care that they do not touch each other, and apply the same current for 5 minutes.
4. End the treatment by turning off the TEN and removing everything from the body, disposing of the used material in the same way as for the female treatment.
5. Ask the person to get dressed.



(a)



(b)

Figure 2. Position of pads in the treatment of male papilloma: (a). One pad at the tip of the penis and the other on the abdomen, above the hairy part; (b) Pads on both sides of the penis.