

ELIMINATION OF THE HELICOBACTER PYLORI BACTERIUM - Currently undergoing validation

WARNING: Before reading about any of the treatments, you should familiarize yourself with TENS (Transcutaneous Electrical Nerve Stimulator) and its features: parameter settings, cost, where to purchase it, etc., as it is the device that generates the electrical signals used to treat all the conditions listed on this site; it is the equivalent of medicine. A description of the device is provided in the section titled "TENS FEATURES" on this site.



DESCRIPTION OF THE DISEASE.

A percentage of stomach cancers is caused by a bacterium called Helicobacter pylori, which multiplies inside the stomach wall; the current approach focuses solely on eliminating this bacterium to prevent the disease it causes.

Characteristics of the disease:

- Loss of appetite.
- Weight loss (without trying to lose weight)
- Abdominal pain.
- Vague discomfort in the abdomen, usually just above the navel.
- Feeling of fullness in the upper abdomen after eating a light meal.

- Heartburn or indigestion.
- Nausea.
- Joint stiffness
- Muscle aches and pains
- Swollen lymph nodes
- (ref:
https://www.google.com/search?q=VIRUS+PRODUCTOR+DEL+CANCER+DE+ESTOMAGO&rlz=1C1ALOY_esMX943MX943&oq=VIRUS+PRODUCTOR+DEL+CANCER+DE+ESTOMAGO&gs_lcrp=EgZjaHJvbWUyBggAEEUYOTIHCAEQIRigATIHCAIQIRigATIHCAEQIRigAdIBCj1MjE5ajBqMTWoAgiwAgE&sourceid=chrome&ie=UTF-8)

DESCRIPTION OF THE TREATMENT PROCESS

The treatment is actually very simple, considering that it targets a bacterium that causes a deadly disease such as stomach cancer; it consists of placing one pad on the tongue and the other on the lower part of the stomach for 15 minutes in order to electrically sweep the entire interior of the stomach (Figure 1.a). Subsequently, both pads are placed on the abdomen for an additional 15 minutes (Figure 1.b) to complete the destruction of the bacteria.




Figure 1. Pad placement on the tongue (a) and abdomen (b).

PHASE IV. TREATMENT PARAMETERS.

TIME: 15 minutes for each pad position.

Current intensity: Gradually increase the intensity until the person begins to feel the current, then maintain that level without causing pain.

PAD SIZE.

For the tongue, use a 5 x 5 cm pad; for the abdomen, use pads measuring 5 x 10 or 4 x 8 cm.

“The final result must be verified with a laboratory test.”